





























































































- [22] Kwok, T., Mok, F., Chien, W. T., & Tam, E. (2006). Does access to bed - chair pressure sensors reduce physical restraint use in the rehabilitative care setting?. *Journal of clinical nursing*, 15(5), 581-587.
- [23] Kamei, K., Nishio, S., Hagita, N., & Sato, M. (2012). Cloud networked robotics. *Network, IEEE*, 26(3), 28-34.
- [24] Sanfeliu, A., Hagita, N., & Saffiotti, A. (2008). Network robot systems. *Robotics and Autonomous Systems*, 56(10), 793-797.
- [25] Brscic, DT. Kanda, T. Ikeda, and T. Miyashita, Person tracking in large public spaces using range sensors, *IEEE Transaction on Human-Machine Systems*, 43, (2013), 522–534.
- [26] Heerink M, Krose B, Evers V, Wielinga BJ, Evers V (2008) Enjoyment, ntenction to use and actual use of a conversational robot by elderly people. *ACM/IEEE International Conference on Human-Robot Interaction 2*: 33-40.
- [27] Shiomi M, Iio T, Kamei K, Sharma C, Hagita N (2015) Effectiveness of Social Behaviors for Autonomous Wheelchair Robot to Support Elderly People in Japan. *PLoS ONE* 10(5): e0128031. doi:10.1371/journal.pone.0128031